


RAPPLON® Flat Belts for the Printing & Print Finishing Industry




Within the paper & print industry, Ammeraal Beltech has been setting the standard for many years with a consistent high product quality and market specific features. Innovations over the years have resulted in a number of new concepts.

Ammeraal Beltech's high performance RAPPLON® Flat Belts offer ideal solutions for offset sheet-fed printing equipment. All belts feature antistatic properties to prevent electrostatic build-up and to ensure precise transfers of the paper.

Required performance is guaranteed by uniform transport and shingling. The belts precise construction and the high quality finishing secure consistent operation speed.

When precise transfers of the paper is of the utmost importance

Speed up
your process
with
RAPPLON®
High
Performance
Flat Belts



Web printing

To maximize the life time we offer the latest belting technology for the speedy folding process in web offset printing and rotogravure printing systems. The relative movement between belt and the freshly printed paper is highly demanding. Ammeraal Beltech developed special blend fabrics which cope with constant friction against abrasive paper over a prolonged service life. Individual printed and cut sheets are accelerated into the collecting cylinder under stringent conditions such as oily and dusty environment. Special materials, resistant to the commonly used finishing solvents, are used to obtain longer belt life.

Post printing

RAPPLON® Process Belts with high grip elastomer surface are the best choice for feeding, laminating, cutting, addressing, packaging, punching, etc.. Low friction belts allow for transport and aligning with less sliding for processes such as folding, stacking, jogging, etc.. Downtimes are kept to a minimum thanks to our QuickSplice tools. Your own maintenance personnel can fit belts easily by using QuickSplice pliers. Their unique guiding system guarantees a perfect splice every time and will save you time and money, for sure!

Customer benefits

Minimized downtimes

- Easy and fast installation of tapes
- QuickSplice belting & tools

Maximized uptimes

- Highly flexible and durable endless joints
- Top quality cover materials for longer service life
- Optimum, consistent coefficient of friction during the entire service life
- No ink smear
- Flat laying to avoid marking

Improved dimensional stability

- Modern tension member materials
- Insensitive to moisture fluctuations

Guaranteed release of paper

- Permanently antistatic

No running direction to be observed

- QuickSplice joining

Ammeraal Beltech's reliable QuickSplice joining system with unique guiding system

- Joining within a few minutes
- Fast replacement
- Easy handling
- Easy-to-use tooling kit
- No adhesives needed
- No special training or specialized belt fitters required
- Always a perfect splice

Belt selection guide

Technical data RAPPLON® Flat Belts for Print and Post Printing

Belt type	Article number	Belt thickness in mm	Min. pulley Ø in mm	Belt factor at 1% / 5% in N/mm	Recommended elongation [%]	Thermal application range [°C]	Cover running side	Cover back side	Tension member	Splice
Process belts with low friction on both side										
TT E05.11 Q	54599	1.10	25	5	0.5 - 2.1	+0 / +60	Polyester fabric	Polyester fabric	Polyester fabric	QS
TT E09.18 Q	54598	1.85	25	9	0.5 - 2.1	+0 / +60	Mixed fabric	Mixed fabric	Polyester fabric	QS
TT P02.12 Q	54601	1.20	10	2	1.0 - 2.0	+0 / +60	Polyamide fabric	Polyamide fabric	Polyamide fabric	QS
TT S02.10 C	54750	1.00	10	2	2.0 - 3.0	+0 / +80	Polyamide fabric	Polyamide fabric	Polyamide foil	Skive
TT S04.12 C	54751	1.20	20	4	2.0 - 3.0	+0 / +80	Polyamide fabric	Polyamide fabric	Polyamide foil	Skive

Process belts with high friction at process side										
PG E05.12 SFQ	54630	1.20	20	5	0.5 - 2.0	+0 / +60	Thermopl. elastomer	XNBR elastomer	Polyester fabric	QS
PG E08.18 SFQ	54631	1.85	30	8	0.5 - 2.0	+0 / +60	Thermopl. elastomer	XNBR elastomer	Polyester fabric	QS
TG E04.12 RQ	54624	1.25	15	4	0.5 - 2.0	+0 / +60	Polyester fabric	XNBR elastomer	Polyester fabric	QS
TG E18.20 P5C	57239	2.00	60	18	0.2 - 0.6	-0 / +80	Polyester fabric	NBR elastomer	Polyester fabric	Skive
TG P03.12 FC	54525	1.25	25	3	0.2 - 0.6	-0 / +80	Polyamide fabric	XNBR elastomer	Polyamide fabric	Skive
TG P04.20 RC	54265	2.00	25	3.8	0.2 - 0.6	-0 / +80	Polyamide fabric	NBR elastomer	Polyamide fabric	Skive
TG P07.29 RC	54266	2.90	50	7	0.2 - 0.6	-0 / +80	Polyamide fabric	NBR elastomer	Polyamide fabric	Skive
TG P07.41 RC	54267	4.10	60	7	0.2 - 0.6	-0 / +80	Polyamide fabric	NBR elastomer	Polyamide fabric	Skive
TG P07.60 RC	54268	6.00	100	7	0.2 - 0.6	-0 / +80	Polyamide fabric	NBR elastomer	Polyamide fabric	Skive
TG S04.14 RC	54261	1.40	20	4	2.0 - 3.0	-0 / +80	Polyamide fabric	XNBR elastomer	Polyamide foil	Skive
TG S04.12 RC	54269	1.25	20	4	2.0 - 3.0	-0 / +80	Polyamide fabric	NBR elastomer	Polyamide foil	Skive
TG S06.30 RC	54716	3.00	50	6	2.0 - 3.0	-0 / +80	Polyamide fabric	TNBR elastomer	Polyamide foil	Skive
TU E04.09 RQ	54603	0.90	15	4	0.5 - 2.0	+0 / +60	Polyester fabric	Polyurethane	Polyester fabric	QS

Process belts with high friction on both side										
GG E03.14 FFQ	54583	1.40	20	3.1	0.5 - 2.0	+0 / +60	XNBR elastomer	XNBR elastomer	Polyester fabric	QS
GG E05.14 FFQ	54607	1.40	25	5	0.5 - 2.0	+0 / +60	XNBR elastomer	XNBR elastomer	Polyester fabric	QS
GG S02.15 FFC	54264	1.50	10	2	2.0 - 3.0	+0 / +80	XNBR elastomer	XNBR elastomer	Polyamide foil	Skive
GG S02.11 RRC	54730	1.10	10	2	2.0 - 3.0	+0 / +80	TNBR elastomer	TNBR elastomer	Polyamide foil	Skive
GG S04.14 RRC	54731	1.40	20	4	2.0 - 3.0	+0 / +80	TNBR elastomer	TNBR elastomer	Polyamide foil	Skive

Elastic										
GG N08 RRO	54262	1.60	15	0.8	4.0 - 8.0	+0 / +60	XNBR elastomer	XNBR elastomer	Thermopl. elastomer	QS
GG N15 FFQ	54585	1.40	15	1.5	4.0 - 8.0	+0 / +60	XNBR elastomer	XNBR elastomer	Thermopl. elastomer	QS
GG N22 RFQ	54263	1.50	15	2.2	4.0 - 8.0	+0 / +60	XNBR elastomer	XNBR elastomer	Thermopl. elastomer	QS
GG N27 RFQ	54608	1.70	15	2.7	4.0 - 8.0	+0 / +60	XNBR elastomer	XNBR elastomer	Thermopl. elastomer	QS
GV N20.17 RQ	54547	1.70	15	2.0	0.5 - 2.0	+0 / +60	XNBR elastomer	Fleece	Thermopl. elastomer	QS
UU N06 RFQ	54532	0.80	15	0.6	3.0 - 6.0	+0 / +60	Polyurethane	Polyurethane	Polyurethane	QS
UU N08 RSQ	54540	1.10	20	0.8	3.0 - 6.0	+0 / +60	Polyurethane	Polyurethane	Polyurethane	QS
UU N08 RSQ FG	54543	0.80	6	0.8	3.0 - 6.0	+0 / +60	Polyurethane	Polyurethane	Polyurethane	QS
UU N12 RFQ	54533	1.15	20	1.2	3.0 - 6.0	+0 / +60	Polyurethane	Polyurethane	Polyurethane	QS
UU N17 RFQ	54534	1.50	20	1.7	3.0 - 6.0	+0 / +60	Polyurethane	Polyurethane	Polyurethane	QS
UU N22 RFQ	54535	1.85	25	2.2	3.0 - 6.0	+0 / +60	Polyurethane	Polyurethane	Polyurethane	QS
UV N12 FQ	54557	1.50	20	1.2	0.5 - 2.0	+0 / +60	Polyurethane	Fleece	Polyurethane	QS

Local Contacts

... and 150 more service contact points
at ammeraalbeltech.com

Argentina

T +54 11 4218 2906
info-ar@ammeraalbeltech.com

Australia

T +61 3 8780 6000
info-au@ammeraalbeltech.com

Austria

T +43 171728 133
info-de@ammeraalbeltech.com

Belgium

T +32 2 466 03 00
info-be@ammeraalbeltech.com

Canada

T +1 905 890 1311
info-ca@ammeraalbeltech.com

Chile

T +56 2 233 12900
info-cl@ammeraalbeltech.com

China

T +86 512 8287 2709
info-cn@ammeraalbeltech.com

Colombia

T +57 893 9890
info-co@ammeraalbeltech.com

Czech Republic

T +420 567 117 211
info-cz@ammeraalbeltech.com

Denmark

T + 45 7572 3100
info-dk@ammeraalbeltech.com

Finland

T +358 207 911 400
info-fi@ammeraalbeltech.com

France

T +33 3 20 90 36 00
info-fr@ammeraalbeltech.com

Germany

T +49 4152 937-0
info-de@ammeraalbeltech.com

Hungary

T +36 30 311 6099
info-hu@ammeraalbeltech.com

India

T +91 44 265 34 244
info-in@ammeraalbeltech.com

Israel

T +972 4 6371485
info-il@ammeraalbeltech.com

Italy

T +39 051 660 60 06
info-it@ammeraalbeltech.com

Japan

T +81 52 433 7400
info-jp@ammeraalbeltech.com

Luxembourg

T +352 26 48 38 56
info-lu@ammeraalbeltech.com

Malaysia

T +60 3 806 188 49
info-my@ammeraalbeltech.com

Mexico

T +52 55 5341 8131
info-mx@ammeraalbeltech.com

Netherlands

T +31 72 57 51212
info-nl@ammeraalbeltech.com

Poland

T +48 32 44 77 179
info-pl@ammeraalbeltech.com

Portugal

T +351 22 947 94 40
info-pt@ammeraalbeltech.com

Singapore

T +65 62739767
info-sg@ammeraalbeltech.com

Slovakia

T +421 2 55648541-2
info-sk@ammeraalbeltech.com

South Korea

T +82 31 448 3613-7
info-kr@ammeraalbeltech.com

Spain

T +34 93 718 3054
info-es@ammeraalbeltech.com

Sweden

T +46 44 780 3010
info-se@ammeraalbeltech.com

Switzerland

T +41 55 2253 535
info-ch@ammeraalbeltech.com

Thailand

T +66 2 902 2604-13
info-th@ammeraalbeltech.com

Turkey

T +90 232 877 0700
info-tr@ammeraalbeltech.com

United Kingdom

T +44 1992 500550
info-uk@ammeraalbeltech.com


United States

T +1 847 673 6720
info-us@ammeraalbeltech.com


Vietnam

T +84 8 376 562 05
info-vn@ammeraalbeltech.com


**Expert advice, quality solutions
and local service
for all your belting needs**



Synthetic Belts



Engineered Belts



Endless Woven Belts



Homogeneous Belts



Modular Belts



Fabrication & Service

General contact information:

Ammeraal Beltech
P.O. Box 38
1700 AA Heerhugowaard
The Netherlands

T +31 (0)72 575 1212
info@ammeraalbeltech.com

ammera.com